L Number	Hits	Search Text	DB	Time stamp
13	1	09/590,641	USPAT;	2004/08/31 10:27
			US-PGPUB	
18	2273488	paper or web or media or medium or sheet	EPO; JPO;	2004/08/31 09:34
			DERWENT	
26	2611451	sensor or sensing or sense or sensed or detect or detector or detection or	EPO; JPO;	2004/08/31 09:42
		detected or detecting or photodetect\$ or optidetect\$	DERWENT	
28	14	("4925121"   "5281991"   "5326182"   "5352900"   "5370049"   "5393149"	USPAT	2004/08/31 10:44
		"5517915"   "5743664"   "6092940"   "6099178"   "6164851"   "6179245"		
		"6224276"   "6250826").PN.		
29	19	6099178.URPN.	USPAT	2004/08/31 10:38
41	29	("4129855"   "4247758"   "4806958"   "4880325"   "5184152"   "5185315"	USPAT	2004/08/31 10:34
		"5196846"   "5268708"   "5297881"   "5305020"   "5331338"   "5342671"		
		"5385416"   "5426011"   "5455617"   "5491327"   "5493385"   "5513920"		
		"5562352"   "5565906"   "5598201"   "5600350"   "5600352"   "5620265"		
		"5647679"   "5661515"   "5713288"   "5755519"   "5774639").PN.		
42	2	jp-08273245-\$.did.	EPO; JPO;	2004/08/31 10:39
			DERWENT	
43	1	jp-03205174-\$.did.	EPO; JPO;	2004/08/31 11:01
			DERWENT	
44	1	gb-2263467-\$.did.	EPO; JPO;	2004/08/31 10:40
			DERWENT	
45	2	ep-401036-\$.did.	EPO; JPO;	2004/08/31 10:40
			DERWENT	
46	1	("4925121").PN.	USPAT;	2004/08/31 10:45
			US-PGPUB	
47	1	("4171781").PN.	USPAT;	2004/08/31 10:51
			US-PGPUB	
48	1	("5071081").PN.	USPAT;	2004/08/31 10:56
			US-PGPUB	
49	14	("1645432"   "1865908"   "2350136"   "2678781"   "3227134"   "3384314"	USPAT	2004/08/31 10:53
		"3563376"   "3592407"   "3606012"   "4074875"   "4489541"   "4681231"		
		"4694949"   "4736579").PN.		
50	1	5071081.URPN.	USPAT	2004/08/31 10:55
51	158526	(speed or velocity or rotation or rpm or revolution) near2 (measure or sensor	EPO; JPO;	2004/08/31 10:57
		or detector or photodetector or senses or sensed or sensing or detect or	DERWENT	•
		detected or detecting or detection or monitor or measuring or measured or		
52	<b></b>	monitoring or monitored)		0004/00/22 25 5
52	68	(spool or reel or shaft or bobbin or mandrel or roll) near 1 (paper or media or	EPO; JPO;	2004/08/31 12:54
}		medium or sheet or web or substrate) near3 (speed or velocity or rotation or	DERWENT	
İ		rpm or revolution) near2 (measure or sensor or detector or photodetector or		
		senses or sensed or sensing or detect or detected or detecting or detection or monitor or measuring or measured or monitoring or monitored)		
53	1	ip-05016499-\$.did.	EDO: IDO:	2004/09/21 11:12
<i>JJ</i>	1	JP=0J0x0 <del>=22=3</del> .uiu.  -	EPO; JPO;	2004/08/31 11:12
55	2	jp-2002160854-\$.did.	DERWENT	2004/00/21 11:25
	2	]p=2002100034*#.d.ulu.	EPO; JPO;	2004/08/31 11:25
56	2	jp-2002154244-\$.did.	DERWENT EPO; JPO;	2004/09/21 12:27
	4	JP BOOBLUTETT-W.GIG.		2004/08/31 12:36
57	1	("5003333").PN.	DERWENT	2004/08/21 11:17
31	1	( 3003333 J.I IV.	USPAT;	2004/08/31 11:17
58	2	jp-63262365-\$.did.	US-PGPUB	2004/09/21 11:20
50	2	Jp=03202303=\$.uiu.	EPO; JPO;	2004/08/31 11:30
59	119	(spool or reel or shaft or bobbin or mandrel or roll) near1 (paper or media or	DERWENT	2004/09/21 11:29
	117	medium or sheet or web or substrate) near3 (remnant residual)	EPO; JPO; DERWENT	2004/08/31 11:28
		mediant of sheet of web of substrate, fields (felillant fesidual)	DEKMENI	

JP-05046864-\$.did. JP-05042268-\$.did.

61	113	((spool or reel or shaft or bobbin or mandrel or roll) near1 (paper or media or medium or sheet or web or substrate) near3 (remnant residual)) not ((spool or reel or shaft or bobbin or mandrel or roll) near1 (paper or media or medium or sheet or web or substrate) near3 (speed or velocity or rotation or rpm or revolution) near2 (measure or sensor or detector or photodetector or	EPO; JPO; DERWENT	2004/08/31 11:29
		senses or sensed or sensing or detect or detected or detecting or detection or		
		monitor or measuring or measured or monitoring or monitored))		
62	204	NAMEKATA-SEIICHI.in.	EPO; JPO;	2004/08/31 11:29
63	237543	b65h\$.ipc. or b65h\$.epc.	DERWENT EPO; JPO;	2004/08/31 12:45
03	23/313	dosno-ipo. di dosno-spo.	DERWENT	2004/00/51 12:45
64	338078	b41j\$.ipc. or b41j\$.epc.	EPO; JPO; DERWENT	2004/08/31 11:29
65	550365	(b65h\$.ipc. or b65h\$.epc.) or (b41j\$.ipc. or b41j\$.epc.)	EPO; JPO; DERWENT	2004/08/31 11:29
66	88	NAMEKATA-SEIICHI.in. and ((b65h\$.ipc. or b65h\$.epc.) or (b41j\$.ipc. or b41j\$.epc.))	EPO; JPO; DERWENT	2004/08/31 12:45
67	1	jp-11325966-\$.did.	EPO; JPO;	2004/08/31 11:31
68	1	jp-11099717-\$.did.	DERWENT EPO; JPO;	2004/08/31 11:35
69	80	SUZUKI-TATSUMA.in.	DERWENT EPO; JPO;	2004/08/31 11:34
0		SOLORI TITTO INTERNA	DERWENT	2004/06/31 11:54
70	1	jp-11322199-\$.did.	EPO; JPO;	2004/08/31 11:37
71	1	jp-11310358-\$.did.	DERWENT EPO; JPO;	2004/08/31 11:38
' '	•	)	DERWENT	2004/00/31 11:50
72	1	jp-11130310-\$.did.	EPO; JPO;	2004/08/31 11:38
73	2	jp-63134457-\$.did.	DERWENT EPO; JPO;	2004/08/31 13:06
75	398	b65h026/08.ipc. or b65h026/08.epc.	DERWENT EPO; JPO; DERWENT	2004/08/31 13:15
76	387	(b65h026/06.ipc. or b65h026/06.epc.) not (((spool or reel or shaft or bobbin or mandrel or roll) near1 (paper or media or medium or sheet or web or substrate) near3 (remnant residual)) not ((spool or reel or shaft or bobbin or mandrel or roll) near1 (paper or media or medium or sheet or web or	EPO; JPO; DERWENT	2004/08/31 12:53
		substrate) near3 (speed or velocity or rotation or rpm or revolution) near2 (measure or sensor or detector or photodetector or senses or sensed or sensing or detect or detected or detecting or detection or monitor or measuring or measured or monitoring or monitored)))		
77	0	MARUYAMA-MASAHIDE.did.	USPAT; US-PGPUB	2004/08/31 13:15
78	3	MARUYAMA-MASAHIDE.in.	USPAT; US-PGPUB	2004/08/31 12:53
80	201320	400/\$.ccls. or 101/\$.ccls. or 399/\$.ccls. or 347/\$.ccls. or 242/\$.ccls. or 226/\$.ccls.	USPAT; US-PGPUB	2004/08/31 12:54
81	1	jp-04094359-\$.did.	EPO; JPO; DERWENT	2004/08/31 13:06
79	64	(spool or reel or shaft or bobbin or mandrel or roll) near1 (paper or media or medium or sheet or web or substrate) near3 (speed or velocity or rotation or rpm or revolution) near2 (measure or sensor or detector or photodetector or	USPAT; US-PGPUB	2004/08/31 13:33
		senses or sensed or sensing or detect or detected or detecting or detection or	,	
82	13	monitor or measuring or measured or monitoring or monitored)   ("3257086"   "3898436"   "4114830"   "4199118"   "4286757"   "4844371"     "5234177"   "5469869"   "5470300"   "5503349"   "5678393"   "5875610"	USPAT	2004/08/31 13:13
83	13	"5967445").PN. ("3257086"   "3396919"   "3898436"   "4114830"   "4199118"   "4286757"   "4697408"   "4844371"   "5234177"   "5469869"   "5502358"   "5503349"	USPAT	2004/08/31 13:13
84	2	"5709347").PN. ep-608785-\$.did.	EPO; JPO;	2004/08/31 13:15
85	81720	de-41 jp-62286789-\$.did. "679" -\$.did.	DERWENT EPO; JPO;	2004/08/31 13:15
	L		DERWENT	

86	2	de-4130679-\$.did.	EPO; JPO; DERWENT	2004/08/31 13:16
87	2	   jp-61211263-\$.did.	EPO; JPO;	2004/08/31 13:57
"		Jp 0.2.1.200 0.0.0.	DERWENT	
88	1	jp-04135546-\$.did.	EPO; JPO;	2004/08/31 13:16
89	0	jp-03-198916-\$.did.	DERWENT EPO; JPO;	2004/08/31 13:16
09		]p-03-198910-3.uid.	DERWENT	2004/00/31 13:10
90	1	jp-03198916-\$.did.	EPO; JPO;	2004/08/31 13:17
		. 0.000000 0 111	DERWENT	2004/00/21 12 17
91	2	jp-01266916-\$.did.	EPO; JPO; DERWENT	2004/08/31 13:17
92	1	jp-01166818-\$.did.	EPO; JPO;	2004/08/31 13:17
			DERWENT	
93	1	jp-63060857-\$.did.	EPO; JPO; DERWENT	2004/08/31 13:18
94	1	   jp-05338883-\$.did.	EPO; JPO;	2004/08/31 13:18
1		JP 0000000 U.U.U.	DERWENT	
95	4	5967445.URPN.	USPAT	2004/08/31 13:18
96	2	6301862.URPN.	USPAT	2004/08/31 13:19
97	102	(measure or sensor or detector or photodetector or senses or sensed or sensing or detect or detected or detecting or detection or monitor or	EPO; JPO; DERWENT	2004/08/31 13:35
		measuring or measured or monitoring or monitored) near2 (mark or marking	DERWENT	
		or indicia or indicuum or code or barcode) near3 (inner or inside or interior)		
98	2	(measure or sensor or detector or photodetector or senses or sensed or	EPO; JPO;	2004/08/31 13:44
	1	sensing or detect or detected or detecting or detection or monitor or	DERWENT	
		measuring or measured or monitoring or monitored) near2 (mark or marking		
		or indicia or indicuum or code or barcode) near3 (inner or inside or interior) near2 (mandrel journal tube roll spool reel hub core)		
99	6	(measure or sensor or detector or photodetector or senses or sensed or	USPAT;	2004/08/31 13:38
		sensing or detect or detected or detecting or detection or monitor or	US-PGPUB	2004/00/51 15:50
		measuring or measured or monitoring or monitored) near2 (mark or marking		
		or indicia or indicuum or code or barcode) near3 (inner or inside or interior)		
100	١.	near2 (mandrel journal tube roll spool reel hub core)	LICOCD	2004/09/21 12:29
100	1	(measure or sensor or detector or photodetector or senses or sensed or sensing or detect or detected or detecting or detection or monitor or	USOCR	2004/08/31 13:38
		measuring or measured or monitoring or monitored) near2 (mark or marking		
		or indicia or indicuum or code or barcode) near3 (inner or inside or interior)		
4.04		near2 (mandrel journal tube roll spool reel hub core)		
101	0	(measure or sensor or detector or photodetector or senses or sensed or sensing or detect or detected or detecting or detection or monitor or	IBM_TDB	2004/08/31 13:39
		measuring or measured or monitoring or monitored) near2 (mark or marking		
:		or indicia or indicuum or code or barcode) near3 (inner or inside or interior)		
		near2 (mandrel journal tube roll spool reel hub core)		
102	0	(scan scanning scanned read reading) near2 (mark or marking or indicia or	IBM_TDB	2004/08/31 13:39
		indicuum or code or barcode) near3 (inner or inside or interior) near2		
103	1	(mandrel journal tube roll spool reel hub core) (scan scanning scanned read reading) near2 (mark or marking or indicia or	EPO; JPO;	2004/08/31 13:39
	_	indicuum or code or barcode) near3 (inner or inside or interior) near2	DERWENT	2004/00/51 15.59
		(mandrel journal tube roll spool reel hub core)		
104	2	(scan scanning scanned read reading) near2 (mark or marking or indicia or	USPAT;	2004/08/31 13:40
		indicuum or code or barcode) near3 (inner or inside or interior) near2 (mandrel journal tube roll spool reel hub core)	US-PGPUB	
105	0	(scan scanning scanned read reading) near2 (mark or marking or indicia or	IBM_TDB	2004/08/31 13:40
		indicuum or code or barcode) near3 (inner or inside or interior) near2	12	200 11 00/31 13:10
100	_	(mandrel journal tube roll spool reel hub core)		
106	2	(scan scanning scanned read reading) near2 (mark or marking or indicia or	USOCR	2004/08/31 13:43
		indicuum or code or barcode) near3 (inner or inside or interior) near2 (mandrel journal tube roll spool reel hub core)		
107	9011	(13andrei Journal tube for spool feel flub core)	USPAT;	2004/08/31 13:43
		,	US-PGPUB	
108	39816	(measure or sensor or detector or photodetector or senses or sensed or	EPO; JPO;	2004/08/31 13:45
		sensing or detect or detected or detecting or detection or monitor or	DERWENT	
		measuring or measured or monitoring or monitored) near2 (mark or marking or indicia or indicuum or code or barcode)		
L	L	or market or indicating code of outcode)	l	

109	57000	(measure or sensor or detector or photodetector or senses or sensed or	USPAT;	2004/08/31 13:45
		sensing or detect or detected or detecting or detection or monitor or	US-PGPUB	
		measuring or measured or monitoring or monitored) near2 (mark or marking		
		or indicia or indicuum or code or barcode)		
110	0	( (measure or sensor or detector or photodetector or senses or sensed or	USPAT;	2004/08/31 13:45
		sensing or detect or detected or detecting or detection or monitor or	US-PGPUB	
		measuring or measured or monitoring or monitored) near2 (mark or marking		
		or indicia or indicuum or code or barcode) ) and ( (measure or sensor or	1	
		detector or photodetector or senses or sensed or sensing or detect or detected		
		or detecting or detection or monitor or measuring or measured or monitoring		
		or monitored) near2 (mark or marking or indicia or indicuum or code or		
		barcode))		
111	57000	· · · · · · · · · · · · · · · · · · ·	LICDAT.	2004/08/31 13:45
111	37000	(measure or sensor or detector or photodetector or senses or sensed or	USPAT; US-PGPUB	2004/06/31 13:43
		sensing or detect or detected or detecting or detection or monitor or	U3-FGFUB	
		measuring or measured or monitoring or monitored) near2 (mark or marking		
112	25	or indicia or indicuum or code or barcode)	LICDATE	2004/00/21 12 45
112	25	((242/590-614.1).CCLS.) and ( (measure or sensor or detector or	USPAT;	2004/08/31 13:45
		photodetector or senses or sensed or sensing or detect or detected or	US-PGPUB	
		detecting or detection or monitor or measuring or measured or monitoring or		
		monitored) near2 (mark or marking or indicia or indicuum or code or		i
		barcode))		
113	1	jp-07008372-\$.did.	EPO; JPO;	2004/08/31 13:58
			DERWENT	
114	0	jp-07008372-U.did.	EPO; JPO;	2004/08/31 15:44
			DERWENT	
74	400	b65h026/06.ipc. or b65h026/06.epc.	EPO; JPO;	2004/08/31 15:09
		·	DERWENT	
115	39	(mark or marking or indicia or indicum or code or barcode) near2 (inner or	EPO; JPO;	2004/08/31 15:15
		inside or interior) near1 (core or mandrel or spool or reel or hub or journal or	DERWENT	
		tube or spindle)		
116	1	("5807001").PN.	USPAT;	2004/08/31 15:13
	_	( 550, 501 )	US-PGPUB	200 1/00/31 13:13
117	3	5807001.URPN.	USPAT	2004/08/31 15:13
118	8	("0879159"   "2937818"   "3718290"   "3894507"   "3913200"   "4479730"	USPAT	2004/08/31 15:13
		"5370332"   "5492422").PN.	051711	2004/08/31 13.13
119	52	(mark or marking or indicia or indicum or code or barcode) near2 (inner or	USPAT;	2004/08/31 15:15
		inside or interior) nearl (core or mandrel or spool or reel or hub or journal or	US-PGPUB	2004/00/31 13.13
		tube or spindle)	OS-1 GI OB	
120	4	("4620184"   "5033623"   "5691919"   "5769353").PN.	USPAT	2004/08/31 15:40
121	1	6334587.URPN.	USPAT	1
121	2	ep-597184-\$.did.	1	2004/08/31 15:43
122	1 2	ep-39/164-3.uiu.	EPO; JPO;	2004/08/31 15:44
122		450CC0	DERWENT	
123	0	ep-459668 -\$.did.	EPO; JPO;	2004/08/31 15:44
124		450660 @ 111	DERWENT	
124	2	ep-459668-\$.did.	EPO; JPO;	2004/08/31 15:45
105		1 4404407 6 111	DERWENT	
125	2	de-4421485-\$.did.	EPO; JPO;	2004/08/31 15:45
			DERWENT	
126	2	de-4005548-\$.did.	EPO; JPO;	2004/08/31 15:47
			DERWENT	
127	0	de-3816800 -\$.did.	ЕРО; ЈРО;	2004/08/31 15:47
			DERWENT	
128	1	de-3816800-\$.did.	EPO; JPO;	2004/08/31 15:53
			DERWENT	200 11 0000
129	1	("5268581").PN.	USPAT;	2004/08/31 15:54
			US-PGPUB	200,,00,5, 15,54
130	2	("3931524"   "4463251").PN.	USPAT	2004/08/31 15:54
131	1	5268581.URPN.	USPAT	
131	2	fr-2670927-\$.did.	1	2004/08/31 15:54
134	4	11-2010721-\$.ulu.	EPO; JPO;	2004/08/31 15:55
133	2	in 50182246 \$ did	DERWENT	2004/00/21 15 55
133	2	jp-59182246-\$.did.	EPO; JPO;	2004/08/31 15:55
124	,	:- 50103146 g J:J	DERWENT	0004/00/01
134	1	jp-59182146-\$.did.	EPO; JPO;	2004/08/31 15:56
			DERWENT	

	,		,	
135	1	jp-01297266-\$.did.	EPO; JPO; DERWENT	2004/08/31 15:57
136	1	jp-02265855-\$.did.	EPO; JPO; DERWENT	2004/08/31 16:33
137	1	("4463251").PN.	USPAT; US-PGPUB	2004/08/31 16:17
138	11	("3600556"   "3643068"   "3931524"   "3978317"   "3988573"   "4057784"   "4192452"   "4193540"   "4224509"   "4250405"   "4333006").PN.	USPAT	2004/08/31 15:58
139	9	4463251.URPN.	USPAT	2004/08/31 15:59
140	ĺí	("5268581").PN.	USPAT;	2004/08/31 16:17
140	'	( 3208381 ).1 14.	US-PGPUB	2004/00/31 10:17
141	32408	(notch or groove or cutout or cut-out or gap) near2 (spool or spindle or hub or journal or mandrel or reel or roll bobbin shaft)	EPO; JPO; DERWENT	2004/08/31 16:39
142	10797	(notch or groove or cutout or cut-out or gap) near2 (sens\$ or detect\$)	EPO; JPO; DERWENT	2004/08/31 16:35
143	437	((notch or groove or cutout or cut-out or gap) near2 (spool or spindle or hub or journal or mandrel or reel or roll bobbin shaft)) and ((notch or groove or	EPO; JPO; DERWENT	2004/08/31 16:35
		cutout or cut-out or gap) near2 (sens\$ or detect\$))		
144	181206	(rotat\$ or velocity or speed or rate or residual or remnant or rpm or revolution) near2 (sens\$ or detect\$)	EPO; JPO; DERWENT	2004/08/31 16:35
145	46	(((notch or groove or cutout or cut-out or gap) near2 (spool or spindle or hub	EPO; JPO;	2004/08/31 16:35
		or journal or mandrel or reel or roll bobbin shaft)) and ((notch or groove or	DERWENT	
		cutout or cut-out or gap) near2 (sens\$ or detect\$))) and ((rotat\$ or velocity or		
	ļ	speed or rate or residual or remnant or rpm or revolution) near2 (sens\$ or		
		detect\$))		
146	237543	b65h\$.ipc. or b65h\$.epc.	EPO; JPO;	2004/08/31 16:55
			DERWENT	
147	1412	((notch or groove or cutout or cut-out or gap) near2 (spool or spindle or hub	EPO; JPO;	2004/08/31 16:38
		or journal or mandrel or reel or roll bobbin shaft)) and (b65h\$.ipc. or	DERWENT	
		b65h\$.epc.)		
148	20541	(notch or groove or cutout or cut-out) near2 (spool or spindle or hub or	EPO; JPO;	2004/08/31 16:39
		journal or mandrel or reel or roll bobbin shaft)	DERWENT	
149	962	(((notch or groove or cutout or cut-out or gap) near2 (spool or spindle or hub	ЕРО; ЈРО;	2004/08/31 16:38
		or journal or mandrel or reel or roll bobbin shaft)) and (b65h\$.ipc. or	DERWENT	
		b65h\$.epc.)) and ((notch or groove or cutout or cut-out) near2 (spool or		
		spindle or hub or journal or mandrel or reel or roll bobbin shaft))		
150	5	((notch or groove or cutout or cut-out or gap) near2 (sens\$ or detect\$)) and	EPO; JPO;	2004/08/31 16:43
		((((notch or groove or cutout or cut-out or gap) near2 (spool or spindle or	DERWENT	
		hub or journal or mandrel or reel or roll bobbin shaft)) and (b65h\$.ipc. or		
		b65h\$.epc.)) and ((notch or groove or cutout or cut-out) near2 (spool or		
		spindle or hub or journal or mandrel or reel or roll bobbin shaft)))		
151	750542	notch or groove or cutout or cut-out	EPO; JPO;	2004/08/31 16:39
1.50		1.65006/06/	DERWENT	
152	29	b65026/06.ipc. or b65h026/06.epc. b65026/08.ipc. or b65h026/08.epc.	EPO; JPO; DERWENT	2004/08/31 16:40
153	784	b65H026/06.ipc. or b65h026/06.epc. b65H026/08.ipc. or b65h026/08.epc.	EPO; JPO;	2004/08/31 16:40
			DERWENT	
154	9	(notch or groove or cutout or cut-out) and (b65H026/06.ipc. or	EPO; JPO;	2004/08/31 16:40
		b65h026/06.epc. b65H026/08.ipc. or b65h026/08.epc.)	DERWENT	
155	340	((notch or groove or cutout or cut-out or gap) near2 (sens\$ or detect\$)) and	EPO; JPO;	2004/08/31 16:43
156		(b65h\$.ipc. or b65h\$.epc.)	DERWENT	
156	340	(((notch or groove or cutout or cut-out or gap) near2 (sens\$ or detect\$)) and	EPO; JPO;	2004/08/31 16:47
1		(b65h\$.ipc. or b65h\$.epc.)) not ((notch or groove or cutout or cut-out) and	DERWENT	
157		(b65H026/06.ipc. or b65h026/06.epc. b65H026/08.ipc. or b65h026/08.epc.))		
157	418	(242/118.4).CCLS.	USPAT;	2004/08/31 16:52
150	_	(1)(make-managed 4:-), and (a.1), and (b.1),	US-PGPUB	0004/00/01 11 11
158	0	("(weborpaperormedia)near1(rollorspoolorreelorspindleorhub)").PN.	USPAT;	2004/08/31 16:48
150	10065	(with moment modes) most (mall) 1 1 1 1 1 1 1 1	US-PGPUB	2004/00/21 - 1 - 1
159	19865	(web paper media) near1 (roll spool reel spindle hub)	USPAT;	2004/08/31 16:49
160	3	((242/118.4).CCLS.) and ((web paper media) nearl (roll spool reel spindle	US-PGPUB	2004/09/21 15:40
100		hub))	USPAT; US-PGPUB	2004/08/31 16:49
161	406465	printer printing image near 1 (recording or forming or recorder) or 400/\$.ccls.	USPAT;	2004/08/31 16:50
		or 347/\$.ccls.	US-PGPUB	_00.700/51 10.50
			55.5.00	

1.60	T	1 (242) 12 A 201 C	LICDATE	2004/00/21 16 50
162	4	((242/118.4).CCLS.) and (printer printing image near1 (recording or forming	USPAT;	2004/08/31 16:50
		or recorder) or 400/\$.ccls. or 347/\$.ccls.)	US-PGPUB	
163	12	((242/118.4).CCLS.) and paper	USPAT;	2004/08/31 16:50
			US-PGPUB	
164	261	(242/118.8).CCLS.	USPAT;	2004/08/31 16:54
			US-PGPUB	
165	65	(242/579).CCLS.	USPAT;	2004/08/31 16:54
			US-PGPUB	
166	3383	b65h067/06.ipc. or b65h067/06.epc.	EPO; JPO;	2004/08/31 16:55
i			DERWENT	
167	3854461	flange or guide or end or cap	EPO; JPO;	2004/08/31 16:56
			DERWENT	
168	1424	(b65h067/06.ipc. or b65h067/06.epc.) and (flange or guide or end or cap)	ЕРО; ЈРО;	2004/08/31 16:56
			DERWENT	
169	1468214	spindle or core or tube	EPO; JPO;	2004/08/31 16:58
			DERWENT	
170	410	((b65h067/06.ipc. or b65h067/06.epc.) and (flange or guide or end or cap))	EPO; JPO;	2004/08/31 16:57
		and (spindle or core or tube)	DERWENT	
171	338078	b41j\$.ipc. b41j\$.epc.	EPO; JPO;	2004/08/31 16:58
			DERWENT	
172	0	(((b65h067/06.ipc. or b65h067/06.epc.) and (flange or guide or end or cap))	EPO; JPO;	2004/08/31 16:57
		and (spindle or core or tube)) and (b41j\$.ipc. b41j\$.epc.)	DERWENT	
173	0	(b65h067/06.ipc. or b65h067/06.epc.) and (b41j\$.ipc. b41j\$.epc.)	EPO; JPO;	2004/08/31 16:57
			DERWENT	
174	8938	(b41j\$.ipc. b41j\$.epc.) and (spindle or core or tube)	EPO; JPO;	2004/08/31 16:58
			DERWENT	
175	50991	(spindle or core or tube) near3 (paper or media or web or tape or sheet or	EPO; JPO;	2004/08/31 16:58
		medium or substrate)	DERWENT	
176	745	((b41j\$.ipc. b41j\$.epc.) and (spindle or core or tube)) and ((spindle or core	EPO; JPO;	2004/08/31 16:59
1		or tube) near3 (paper or media or web or tape or sheet or medium or	DERWENT	
		substrate))	<del>-</del>	